

INNOVATIONACCESS AVAILABLE TECHNOLOGIES CONTACT US

**Request Information** 

Permalink

# Spray Dry Method for Calcium Cross-linked Alginate Encapsulation of Biological and Chemical Moieties via the Use of Chelating Agents

Tech ID: 31776 / UC Case 2017-123-0

#### **ABSTRACT**

Researchers at the University of California, Davis have developed a one-step spray dry calcium cross-linked alginate encapsulation process where the calcium is released from a chelating agent.

### **FULL DESCRIPTION**

Microencapsulation of biological molecules, cells, and chemicals is often used in food and pharmaceutical industries to increase the stability and shelf life of the encapsulated material and to control the pattern of release. Among encapsulation matrices, alginate is preferred due to its low-cost, biodegradability, and biocompatibility. Traditional alginate droplet-calcium bath encapsulation procedures are difficult to scale up and often produce undesirably large alginate beads.

Researchers at the University of California, Davis developed a method for the production of Cross-linked Alginate Microcapsules (CLAMs) using a single step spray drying process which utilizes a calcium chelating agent and volatile base. The reduction in pH with volatilization of the base releases calcium ions from the calcium-chelate complex initiating alginate cross-linking. Particle size is in the range of 5-10 microns and the degree of cross-linking and hence release rate can be controlled by the level of calcium ion introduced. The process is flexible enough to accommodate other anionic polymers. In addition, the process can be modified to produce fibers or films.

### **APPLICATIONS**

▶ Can be used to encapsulate pharmaceuticals, food additives, nutraceuticals

## FEATURES/BENEFITS

- \* One step spray dry process
  - ▶ Alginate is natural polymer that is both biogradable and biocompatible
  - ▶ Alginate matrix particle is uniformly cross-linked
  - ▶ Release rate from cross-linked alginate matrix particle can be controlled by adjusting cross-link density
  - ▶ Process can accommodate other anionic polymers

### **PATENT STATUS**

Country	Туре	Number	Dated	Case
United States Of America	Published Application	20220025132	01/27/2022	2017-123

#### **CONTACT**

Eugene Sisman esisman@ucdavis.edu tel: 530-754-7650.



### **INVENTORS**

- ▶ Scher, Herbert B.
- ► Strobel, Scott A.
- ▶ Wong, Dana E.
- ▶ Zicari, Tina Jeoh

# OTHER INFORMATION

### **KEYWORDS**

Alginate Encapsulation,

Spray Drying, Calcium-

Mediated Cross-linking

## CATEGORIZED AS

► Agriculture &

### **Animal Science**

Processing andPackaging

# ▶ Biotechnology

- ► Food
- ▶ Health
- ▶ Industrial/ Energy

## Engineering

- ▶ Engineering
- Materials &

## Chemicals

- ► Agricultural
- ▶ Polymers

## **RELATED CASES**

2017-123-0

University of California, Davis
InnovationAccess
1850 Research Park Drive, Suite 100, ,
Davis,CA 95618

Tel: 530.754.8649
innovationAccess@ucdavis.edu
research.ucdavis.edu/u/s/ia
Fax: 530.754.7620

 $\ \ \,$   $\ \$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \$   $\ \ \,$   $\ \ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \ \,$   $\ \$   $\ \$   $\ \$   $\ \$   $\ \$   $\ \$   $\ \$   $\ \$   $\ \$   $\ \$   $\ \$   $\ \$   $\ \$   $\ \$   $\ \$   $\ \$   $\ \$   $\ \$   $\$   $\$   $\ \$   $\$