Berkeley IPIRA

Request Information

ANY-NUCLEI DISTRIBUTED ACTIVE PROGRAMMABLE TRANSMIT MRI COIL

Tech ID: 33305 / UC Case 2024-023-0

PATENT STATUS

Patent Pending

BRIEF DESCRIPTION

There are 118 known elements. Nearly all of them have NMR active isotopes and at least 39 different nuclei have been shown to have biological relevance. Despite this, most of today's MRI is based on only one nucleus - 1H.

To work towards making use of all potential nuclei, here, UC Berkeley researchers have created a coil enabling the excitation of arbitrary nuclei in human-scale MRI with a single coil. To excite arbitrary nuclei, they developed a completely new type of RF coil, the Any-nuclei Distributed Active Programmable Transmit Coil (ADAPT Coil), that can operate at any relevant frequency. This coil eliminates the need of the expensive traditional RF amplifier by directly converting DC power into RF magnetic fields with frequencies chosen by digital control signals sent to the switches. Semiconductor switch imperfections are overcome by breaking the coil into several segments. The ADAPT Coil presents a scalable and efficient method of exciting arbitrary nuclei in human-scale MRI. This coil concept provides further opportunities for scaling, programmability, lowering coil costs, lowering dead-time, reducing multinuclear MRI workflow complexity, and enabling the study of dozens of biologically relevant nuclei.

CONTACT

Terri Sale terri.sale@berkeley.edu tel: 510-643-4219.



Permalink

INVENTORS

» Liu, Chunlei

OTHER INFORMATION

CATEGORIZED AS

>> Imaging

» Medical

» Medical

>> Imaging

RELATED CASES 2024-023-0

SUGGESTED USES

» Magnetic Resonance Imaging

ADDITIONAL TECHNOLOGIES BY THESE INVENTORS

Multiphoton Magnetic Resonance Imaging



University of California, Berkeley Office of Technology Licensing 2150 Shattuck Avenue, Suite 510, Berkeley,CA 94704 Tel: 510.643.7201 | Fax: 510.642.4566 ipira.berkeley.edu/ | otl-feedback@lists.berkeley.edu © 2023, The Regents of the University of California Terms of use | Privacy Notice