

(SD2014-159) 3D Fabrication of Piezoelectric Polymer Composite Materials

Tech ID: 24418 / UC Case 2014-159-0

BACKGROUND

Piezoelectric materials are key components in a range of devices including acoustic imaging, energy harvesting, and actuators and typically rely on brittle ceramic monoliths to perform their functions. To control the size and or shape of the piezoelectrics, it is common to use mechanical dicing or saws. However, this limits not only the size of the piezoelectric element but also the dimensionality. It is nearly impossible with current cutting techniques to shape brittle ceramics into higher order 3D structures, which could have a huge impact on compact sensor designs, tunable acoustic arrays, efficient energy scavengers, and diagnostic devices. There is an unmet need for simple approaches to fabricating 3D structures in piezoelectric polymers or multilayered architectures which would open up infinite possibilities in the design of more complicated device geometries.

TECHNOLOGY DESCRIPTION

Nanoengineers from UC San Diego have invented and patented piezoelectric nanoparticle–polymer composite materials that can be optically printed into three-dimensional (3D) microstructures using digital projection printing. Piezoelectric polymers were fabricated by incorporating barium titanate (BaTiO₃, BTO) nanoparticles into photoliable polymer solutions such as polyethylene glycol diacrylate and exposing to digital optical masks that could be dynamically altered to generate user-defined 3D microstructures. This technology lays the groundwork for creating highly efficient piezoelectric polymer materials via nanointerfacial tuning. Details of this invention are published (Kim *et al.* 2014).

CONTACT

Skip Cynar
scynar@ucsd.edu
tel: 858-822-2672.



OTHER INFORMATION

KEYWORDS


piezoelectric; 3D printing;
nanoparticle; PEG; polymer;
photopolymerization

CATEGORIZED AS

- ▶ Energy
- ▶ Other
- ▶ **Materials & Chemicals**
- ▶ Composites

RELATED CASES

2014-159-0



APPLICATIONS

Applications range from loud speakers and acoustic imaging to energy harvesting and electrical actuators. The potential to print virtually any 3D piezoelectric shape, while maintaining a strong piezoelectric coefficient and biocompatible properties, this technology will find application in:

- biomimic materials (e.g., artificial skin, tympanic membrane)
- integrated micro/nanoelectromechanical systems (e.g. mechanical actuators), sensors (e.g. acoustic detection)
- bio-imaging (high resolution, compact ultrasonic imaging instruments)
- *in vitro* energy scavenging

RELATED MATERIALS

- ▶ Kim K, W Zhu, X Qu, C Aaronson, S Chen, and DJ Sirbuly. 3D Optical Printing of Piezoelectric Nanoparticle-Polymer Composite Materials. ACS Nano, DOI: 10.1021/nn503268f Pub Date: July 21, 2014. - 07/21/2014

PATENT STATUS

Country	Type	Number	Dated	Case
United States Of America	Published Application	0161534 A1	05/21/2020	2014-159

OTHER INFORMATION

UC San Diego is actively seeking companies interested in commercializing technology protected by an issued US patent: **1,171,281** (20 claims)

<https://patents.google.com/patent/US11171281B2/en?>

oq=US11171281B2

(12) **United States Patent**
Sirbuly et al.

(10) **Patent No.:** **US 11,171,281 B2**
(45) **Date of Patent:** **Nov. 9, 2021**

(54) **PIEZOELECTRIC
NANOPARTICLE-POLYMER COMPOSITE
STRUCTURE**

(71) Applicant: **The Regents of the University of
California**, Oakland, CA (US)

(72) Inventors: **Donald J. Sirbuly**, Carlsbad, CA (US);
William R. McCall, Woodside, CA
(US); **Kanguk Kim**, La Jolla, CA (US)

(73) Assignee: **THE REGENTS OF THE
UNIVERSITY OF CALIFORNIA**,
Oakland, CA (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 126 days.

(21) Appl. No.: **16/228,608**

(22) Filed: **Dec. 20, 2018**

(65) **Prior Publication Data**
US 2019/0252599 A1 Aug. 15, 2019

Related U.S. Application Data

(63) Continuation of application No. 14/974,582, filed on

(52) **U.S. Cl.**
CPC **H01L 41/183** (2013.01); **B29C 67/202**
(2013.01); **H01L 41/37** (2013.01); **B29K**
2075/00 (2013.01); **B29K 2083/00** (2013.01);
B29K 2105/002 (2013.01); **B29K 2105/167**
(2013.01); **B29K 2995/0003** (2013.01)

(58) **Field of Classification Search**
CPC H01L 41/183; H01L 41/37
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,310,134 B2 11/2012 Ajayan et al.
8,803,406 B2 * 8/2014 Lee H01L 41/37
310/339
10,199,560 B2 * 2/2019 Sirbuly H01L 41/37
(Continued)

FOREIGN PATENT DOCUMENTS

CN 103289363 * 9/2013

OTHER PUBLICATIONS

D. Kim et al, "Preparation and characterization of UV-cured polyurethane
acrylate/ZnO nanocomposite films based on surface modified ZnO",
Progress in Organic Coating, 74, pp. 435-442, Feb. 4, 2012.*
(Continued)

University of California, San Diego
Office of Innovation and Commercialization
9500 Gilman Drive, MC 0910, ,
La Jolla, CA 92093-0910

Tel: 858.534.5815
innovation@ucsd.edu
https://innovation.ucsd.edu
Fax: 858.534.7345

© 2014 - 2024, The
Regents of the University of
California
Terms of use
Privacy Notice