

METAL-ORGANIC FRAMEWORKS FOR H₂ ADSORPTION AND DRUG DELIVERY

Tech ID: 25732 / UC Case 2016-125-0

PATENT STATUS

Country	Type	Number	Dated	Case
United States Of America	Issued Patent	11,065,264	07/20/2021	2016-125

BRIEF DESCRIPTION

Metal-organic frameworks (MOFs) are an important class of materials with high internal surface areas and tunable pore environments that make them of interest for a wide variety of potential applications, including gas adsorption and drug delivery. One of the most ubiquitous MOF materials is of the type M₂(dobdc) (2,5-dioxido-1,4-benzenedicarboxylate), sometimes referred to as M-MOF-74. The pores of these frameworks can be expanded while preserving the parent framework structure by using ligands and other analogues with multiple phenylene groups.

With an interest in exploring new ligands for expanded MOF-74 architectures, UC Berkeley researchers created a new family of expanded MOF-74 materials using the anti-inflammatory olsalazine acid as a ligand to form M₂(olz), where M = Mg, Fe, Co, Ni, and Zn. Upon activation, these materials exhibit the highest Langmuir surface areas among bioactive frameworks. The M₂(olz) frameworks contain pore apertures of approximately 27 Å, corresponding to the mesoporous range (≥20 Å). Strong H₂ adsorption was observed by gas adsorption studies and in situ infrared spectroscopy, confirming the presence of open metal sites for all but the Zn analogue. The Mg₂(olz) framework, which disassembles under physiological conditions to release olsalazine, represents an unprecedented level of loading in a bioactive metal-organic framework of 86 wt % drug. In addition to delivery of olsalazine, the large pores of Mg₂(olz) were used to encapsulate a second drug, illustrating the potential of this platform to deliver multiple therapeutic components.

SUGGESTED USES

- » Drug Formulation and delivery
- » Encapsulation and delivery of imaging agents

ADVANTAGES

- » High biocompatibility and large pore dimensions
- » Highest loadings of a therapeutic molecule by MOFs
- » Exhibits gradual release of drugs

ADDITIONAL TECHNOLOGIES BY THESE INVENTORS

CONTACT

Michael Cohen
mcohen@berkeley.edu
tel: 510-643-4218.



INVENTORS

- » Long, Jeffrey R.

OTHER INFORMATION

KEYWORDS

MOF, drug delivery, gas adsorption, dihydrogen, ligands

CATEGORIZED AS

- » **Materials & Chemicals**
- » Chemicals
- » **Medical**
- » Delivery Systems
- » Imaging

RELATED CASES

2016-125-0

- ▶ Next-Generation Metal-Organic Frameworks With High Deliverable Capacities For Gas Storage Applications
- ▶ Porous Polymer Networks For Per- And Poly-Fluoroalkyl Substance Separations
- ▶ Selective Carbon Monoxide Uptake via Metal Carbanion Functionalized Metal-Organic Frameworks
- ▶ Structures and Apparatus using Three-Dimensional Linked Networks
- ▶ Gas Separations With Redox-Active Metal-Organic Frameworks
- ▶ Metal-Organic Frameworks For Aromatic Hydrocarbon Separations
- ▶ Novel Porous Organic Polymers for Ammonia Adsorption
- ▶ Isothermal Carbon Capture And Release Of Carbon Dioxide With Molecular Polyamines
- ▶ Selective Nitrogen Adsorption Using a Vanadium Metal-Organic Framework
- ▶ Separation Of 1-Butene From 2-Butene Using Framework Open Metal Sites
- ▶ Redox-Active Metal-Organic Frameworks for the Catalytic Oxidation of Hydrocarbons
- ▶ Phase Change Adsorbents For Storage And Separation Applications



University of California, Berkeley Office of Technology Licensing

2150 Shattuck Avenue, Suite 510, Berkeley, CA 94704

Tel: 510.643.7201 | Fax: 510.642.4566

<https://ipira.berkeley.edu/> | otl-feedback@lists.berkeley.edu

© 2016 - 2021, The Regents of the University of California

[Terms of use](#) | [Privacy Notice](#)