

# This technology is currently not available for licensing

Tech ID: 25938



## ADDITIONAL TECHNOLOGIES BY THESE INVENTORS

- ▶ Portable Heart Motion Monitor
- ▶ Passive Wideband Interferometer Enabled Error Feedback Transmitter
- ▶ On-Chip Platform for Single-Molecule Electrical Conductance Measurements
- ▶ Using Contact Doppler Radar to Monitor PA Pressure in Heart Failure Patients
- ▶ Absorptive Microwave Bandpass Filters
- ▶ High-Efficiency Broadband Doubler
- ▶ Field Effect Bipolar Transistor
- ▶ Quarter-Rate Serial Link Receiver with Low Aperture Delay Samplers for High Data Rate Applications
- ▶ A Novel High-Qu Octave-Tunable Resonator And Filter With Lumped Tuning Elements
- ▶ Hybrid SPST Switch Delivers High Isolation Over an Ultra-wide Bandwidth
- ▶ Nonlinearity Factorization for Up-Conversion Mixer Linearity Analysis
- ▶ Passive Coupling Balance Scheme for Long Traveling Complex Differential Signals
- ▶ Frequency Discriminator-based Phase Noise Filter (PNF) for Ultra-Clean LO/Clock

**University of California, Davis**

**Technology Transfer Office**

1 Shields Avenue, Mrak Hall 4th Floor,  
Davis,CA 95616

Tel:

530.754.8649

[techtransfer@ucdavis.edu](mailto:techtransfer@ucdavis.edu)

<https://research.ucdavis.edu/technology-transfer/>

Fax:

530.754.7620

© 2016 - 2018, The Regents of the University of

California

[Terms of use](#)

[Privacy Notice](#)