

OTC Website Find Technologies Contact Us

Request Information Permalink

Lower Cost Method for Fabricating Porous Metal Oxide Composites

Tech ID: 30378 / UC Case 2012-533-0

CONTACT

Venkata S. Krishnamurty
venkata.krishnamurty@ucr.edu
tal:

OTHER INFORMATION

KEYWORDS

metal oxide, photocatalytic, TiO2, wastewater, water treatment, solar panels

CATEGORIZED AS

► Materials & Chemicals

Other

RELATED CASES

2012-533-0

BACKGROUND

Wastewater pollution generated by industrial processes such as manufacturing and transportation are a huge cause for concern. Due to this, businesses are facing greater pressure to conduct their activities in an environmentally-friendly manner. Of particular importance is the treatment of wastewater to eliminate contaminants.

Lower-cost methods for the controlled synthesis of metal oxides (including size, phase, morphology etc.), and synthesis of metal-oxide bulk composites for applications such as wastewater treatment are desirable.

BRIEF DESCRIPTION

Researchers at the University of California, Riverside have developed lower cost methods to synthesize metal oxide composites. The metal organic particles are fabricated by first dispersing a metal oxide precursor with a dispersing agent. The pH of the dispersing agent is set between 7.8 and 11. These conditions promote binding of the metal oxide and dispersing agent in solution. The resulting mixture is then heated at lower temperatures than current processes and subsequently extruded to form the desired geometry. The nanoparticles can be recovered and reused for further treatment. Metal oxides can also be fabricated into stand-alone structures, eliminating the need for nanoparticle recovery.





Fig. 1 Continuous stirred tank reactor (CSTR) fabrication method for the metal oxide particles. Metal oxide is mixed with the dispersing agent, then washed, heat-treated and finally extruded into the desired geometry



 $\textbf{Fig. 2} \ \, \textbf{Dried cubes of TiO}_2 \ \, \textbf{mixed with PVA dispersing agent}$

SUGGESTED USES

The metal oxide particles may be used for

▶ photocatalytic water purification; or

PATENT STATUS

Country	Туре	Number	Dated	Case
United States Of America	Issued Patent	9,593,027	03/14/2017	2012-533

FULL DESCRIPTION

University of California, Riverside

Office of Technology Commercialization

200 University Office Building,

Riverside, CA 92521

otc@ucr.edu

research.ucr.edu/

Terms of use | Privacy Notice | © 2019 - 2022, The Regents of the University of California