

Fetal Oximetry Measurement via Maternal Transabdominal Spectroscopy

Tech ID: 32531 / UC Case 2021-615-0

ABSTRACT

Researchers at the University of California, Davis have developed a non-invasive, near-infrared, spectroscopy technique that measures fetal oxygen saturation via the maternal abdomen.

FULL DESCRIPTION

Measuring fetal oxygen levels is critical for the health and safety of the expectant mother and fetus – both in utero and during delivery. Medical professionals analyze oxygen levels to help determine – as just one example - the potential need for delivery by caesarean section. There are several common methods for estimating fetal oxygen levels. However, many are either inaccurate or derived only indirectly from other data, such as the fetal heart rate. Some existing methods are also physically intrusive or require prohibitively expensive equipment. Thus, lower cost, more accurate, fetal oximeters would significantly improve the ability to assess fetal health in a wider range of clinical settings.

Researchers at the University of California Davis have developed a non-intrusive method of measuring fetal oxygen saturation in real-time via spectroscopy sensing of the maternal abdomen. Time-domain, near-infrared, spectroscopy is implemented using an optical interferometer device with two wavelength-swept laser sources. A frequency-modulated, continuous-wave, (FMCW) technique focuses a laser light wave on the abdomen – the reflection of which interferes with the light from the device's reference arm. The wavelength pattern can then be processed using machine learning algorithms. By using two laser wavelengths, absolute concentrations of both oxygenated and deoxygenated hemoglobin can be extracted – thus measuring oxygen saturation for both the mother and fetus. This method calculates real-time fetal oxygen levels more accurately and consistently than existing techniques, allowing for immediate medical determinations during labor. It is also a lower cost and more easily deployed solution than the diagnostic techniques used currently.

APPLICATIONS

- Real-time measurement of fetal oxygen saturation
- ► Can be used in both delivery room and other settings

FEATURES/BENEFITS

- Inexpensive sensors allow for low-cost implementation in more diverse clinical settings
- Results can be processed in real-time
- ► Non-invasive procedure
- Measuring the oxygen concentration directly provides more accurate results than alternative methods

PATENT STATUS

CONTACT

Andrew M. Van Court amvancourt@ucdavis.edu tel: .



INVENTORS

- Ghiasihafezi, Soheil
- Liu, Shing-Jiuan
- ▶ Yang, Weijian

OTHER INFORMATION

KEYWORDS

fetal pulse oximetry, fetal

oximetry, transabdominal

fetal oximetry,

spectroscopy, machine

learning

CATEGORIZED AS

Imaging

- Medical
- Medical
 - Devices
 - Diagnostics
 - Imaging
 - Screening
- Sensors &

Instrumentation

Medical

RELATED CASES

Country	Туре	Number	Dated	Case	2021-615-0
United States Of America	Published Application	20240023846	01/25/2024	2021-615	

ADDITIONAL TECHNOLOGIES BY THESE INVENTORS

- Method and System for Signal Separation in Wearable Sensors with Limited Data (with Applications to Transabdominal Fetal Oximetry)
- ▶ Metasurface, Metalens, and Metalens Array with Controllable Angular Field-of-View

University of California, Davis	Tel:	\odot 2021 - 2024, The Regents of t	ne University of
Technology Transfer Office	530.754.8649		California
1 Shields Avenue, Mrak Hall 4th Floor,	techtransfer@ucdavis.edu		Terms of use
Davis,CA 95616	https://research.ucdavis.edu/technology-		Privacy Notice
transfer/			
	Fax:		
	530.754.7620		