

TECHNOLOGY TRANSFER OFFICE

AVAILABLE TECHNOLOGIES

CONTACT US

Request Information

Permalink

Bifidobacterial Probiotics for Nursing and Weaning

Tech ID: 32715 / UC Case 2022-572-0

ABSTRACT

Researchers at the University of California, Davis have developed an isolated strain of Bifidobacterium to be used in infant probiotics that can be produced at a commercially viable scale.

FULL DESCRIPTION

Infant Bifidobacterium strains can metabolize human milk oligosaccharides (HMOs), while the variety found in adults can only ferment oligosaccharides found in plants. Breast-fed infants are unique as they have the proper gut microbiome to process human milk. These bacteria have been widely studied in order to replicate their effects, but there can be manufacturing difficulties in growing these infant-derived strains effectively. Further research is needed in order to identify novel probiotics that mimic the functional effects of infant-borne Bifidobacterium in situ, but can also be grown at a commercial scale.

Researchers at the University of California Davis have isolated a strain of Bifidobacterium that can be used as a probiotic to enrich the diets for both breast-fed and formula-fed infants. Such probiotic strains are useful when weaning and adjusting an infant's diet to solid foods, as well as when an infant's diet is supplemented with formula. The new strain has a more robust growth and novel activation of key catabolic pathways compared to other Bifidobacterium, furthering its dietary benefits. The new strain can grow better than existing Bifidobacterial strains, and it is more commercially viable to produce in large quantities. In the future, this new strain can be included with a mixture of other probiotics without disruption. This research can be applied to improve infant health and nutrition during an essential phase of development.

APPLICATIONS

- ▶ Use in infant probiotics during weaning or other dietary changes
- ▶ Diet enrichment for both breast-fed and formula-fed infants

FEATURES/BENEFITS

- ▶ Shorter lag time and enhanced activation compared to other Bifidobacterial strains
- ▶ Can be grown quickly in a variety of environments
- ▶ Complementary to other healthy bacteria in the digestive system and additional probiotics

CONTACT

Victor Haroldsen haroldsen@ucdavis.edu tel: 530-752-7717.



INVENTORS

- ▶ Barile, Daniela
- ▶ Mills, David A.
- Wickramasinghe,Saumya

OTHER INFORMATION

KEYWORDS

Bifidobacterium, Human

milk oligosaccharides

(HMO), Probiotic, Infant

health, Digestive system

CATEGORIZED AS

► Agriculture &

Animal Science

- Nutraceuticals
- Biotechnology
 - ► Food
 - ► Health

► Medical

▶ Disease: Digestive

System

▶ New Chemical

Entities, Drug Leads

▶ Therapeutics

▶ Research Tools

▶ Other

RELATED CASES

2022-572-0

- ▶ Bifidobacterial Probiotic Supplements for Infants
- ▶ Increased Microorganism Alcohol Tolerance Via Transformation of its pntAB Locus

University of California, Davis
Technology Transfer Office
1850 Research Park Drive, Suite 100, ,
Davis,CA 95618

Tel: 530.754.8649

techtransfer@ucdavis.edu

https://research.ucdavis.edu/technologytransfer/

Fax: 530.754.7620

© 2022, The Regents of the University of California

<u>Terms of use</u>

Privacy Notice