(SD2020-397) Identification of the plant stomatal CO2 sensor and uses thereof

Tech ID: 33201 / UC Case 2021-Z08-1

CONTACT
Skip Cynar
scynar@ucsd.edu
tel: 858-822-2672.

INTRODUCING
UC TechAlerts
New technology matches delivered to your email at your preferred schedule
SEARCH SAVE SEARCH
Learn More

ABSTRACT

Drs. Schroeder and Takahashi of UC San Diego have discovered and characterized a stomatal CO2 sensor and the underlying mechanism in plants. This unique plant CO2 sensor shows very strong phenotypes in mutants, with complete lack of a CO2 response. Moreover, the researchers can reconstitute this CO2 sensor with the recombinant protein complex in vitro. They are using this discovery to further develop genetic applications to modify CO2 sensing and water use efficiency in plants. The researchers have identified two protein kinases, which regulate a Raf-like protein kinase which in turn controls another Raf-like kinase activity in response to change in CO2/bicarbonate concentration in vitro. Mutants in each of these proteins completely disrupt CO2 responses in plants, consistent with our CO2 sensor findings. Biochemical structure analyses reveal important phosphorylation sites and provide insight into the direct CO2 sensing and signaling core mechanism in plant cells.

OTHER INFORMATION

CATEGORIZED AS

- Agriculture & Animal Science
  - Plant Traits

RELATED CASES

2021-Z08-1

DESCRIPTION

This invention solves a long-term question of how plants sense atmospheric [CO2] changes, and provides a potent tool for improving plant water use efficiency and plant performance under water-limited and also in regions with water-replete conditions, given the continuing steep increase in the atmospheric CO2 concentration.

Plants control water loss and control gas exchange between plant leaves and the atmosphere via stomatal pores. This exchange of gases includes CO2 influx for photosynthesis, O2 efflux, and transpirational water loss through stomatal pores in their leaves. Plants lose over 90% of their water by transpiration. The balance of exchange of water loss and CO2 intake is achieved by a proper control of stomatal apertures in response to environmental stimuli.

Elevation in atmospheric [CO2] induces stomatal closure and impacts plant growth and dramatically water-use efficiency and crop yields. With the present 50% higher CO2 concentration in the atmosphere compared

to 100 years ago, and the continuing increase in the CO2 concentration, plants could take in the same amount of CO2 from the atmosphere, while losing 33% less water.However, the CO2/bicarbonate sensor that controls plant transpiration and water use efficiency has remained unknown.

APPLICATIONS

Traits that can be engineered:

Enhance drought tolerance of crop plants.

Enhance growth under the present and continuing elevated CO2 concentration of crop plants.

Enhance early monitoring of CO2 elevation effects, drought and heat stress by crop plants and trees.

Early mounting of stress resistance in crop plants and trees.

STATE OF DEVELOPMENT

This patent-pending technology is available for commercialization. Contact UC San Diego's Office of Innovation & Commercialization for availability.

RELATED MATERIALS

- Takahashi Y, Bosmans KC, Hsu PK, Paul K, Seitz C, Yeh CY, Wang YS, Yarmolinsky D, Sierla M, Vahisalu T, McCammon JA, Kangasjärvi J, Zhang L, Kollist H, Trac T, Schroeder JI. Stomatal CO2/bicarbonate sensor consists of two interacting protein kinases, Raf-like HT1 and non-kinase-activity requiring MPK12/MPK4. Sci Adv. 2022 Dec 9;8(49) - 12/07/2022
- Dubeaux G, Hsu PK, Ceciliato PHO, Swink KJ, Rappel WJ, Schroeder JI. Deep dive into CO2-dependent molecular mechanisms driving stomatal responses in plants. Plant Physiol. 2021 Dec 4;187(4):2032-2042 - 12/04/2021
- Schulze S, Dubeaux G, Ceciliato PHO, Munemasa S, Nuhkat M, Yarmolinsky D, Aguilar J, Diaz R, Azoulay-Shemer T, Steinhorst L, Offenborn JN, Kudla J, Kollist H, Schroeder JI. A role for calcium-dependent protein kinases in differential CO2 - and ABA-controlled stomatal closing and low CO2 -induced stomatal opening in Arabidopsis. New Phytol. 2021 Mar;229(5):2765-2779. doi: 10.1111/nph.17079. Epub 2020 Dec 9. - 12/09/2020

University of California, San Diego
Office of Innovation and Commercialization
9500 Gilman Drive, MC 0910, ,
La Jolla,CA 92093-0910

Tel: 858.534.5815
innovation@ucsd.edu
https://innovation.ucsd.edu
Fax: 858.534.7345

© 2023, The Regents of the University of California
Terms of use
Privacy Notice