



A General Magnetic Assembly Approach To Chiral Superstructures At All Scales

Tech ID: 33604 / UC Case 2024-701-0

PATENT STATUS

Patent Pending

FULL DESCRIPTION


Background

Chirality is a property where an object cannot be superimposed on its mirror image. Chiral superstructures, especially, those made from plasmonic nanoparticles possess unique optical properties. Controlling the collective orientation of these chiral structures remains challenging for optimizing chiroptical performance. Existing strategies like templated assemblies and chiral superlattice formation are limited to materials with specific compositions and morphologies within a narrow size range.

Innovation

Prof. Yadong Yin and his team have introduced a novel method for assembling materials of various compositions and sizes (from molecules to microstructures) into chiral superstructures. This is achieved by utilizing the chiral quadrupole field generated by permanent magnets, which overcomes limitations of previous methods like templated assembly and lithography. Using the magnetic field of a permanent magnet, the team can actively tune the structural handedness, collective orientation and the chiroptical properties.

Images



Schematic illustration of the magnetic assembly during chiral dichroism (CD) measurement and simulated helical superstructures assembled from magnetic nanorods under such a chiral magnetic field.

CONTACT

Venkata S. Krishnamurty
venkata.krishnamurty@ucr.edu
tel: .

OTHER INFORMATION

KEYWORDS


Magnetic assembly, responsive chiral
superstrucures, dynamic color
switching, colloidal assembly, chiral
responses, optical rotary dispersion

CATEGORIZED AS

- **Optics and Photonics**
 - All Optics and Photonics
- **Materials & Chemicals**
 - Nanomaterials
- **Nanotechnology**
 - Materials
 - NanoBio
- **Sensors & Instrumentation**
 - Biosensors

RELATED CASES

2024-701-0



CD spectra of the magnetic/plasmonic hybrid nanorods assembled under magnetic fields with varying direction and strength.

VALUE PROPOSITION

Broad material compatibility - A general approach to assemble chiral superstructures with the ability to transfer chirality to organic molecules, polymers, oxides and semiconductors.

Control over chirality - By manipulating the position and orientation of the magnets, researchers can precisely control the handedness, chirality, and pitch of the assembled superstructures.

Versatility - It can be used to assemble a wide range of materials, from small molecules to larger nano- and micro-structures.

Tunability - The handedness and chiroptical properties of the assembled superstructures can be actively tuned by adjusting the magnet's position and orientation.

Simplicity and speed - The magnetic assembly process is rapid and reversible.

APPLICATIONS

Potential applications of this technology, include:

- ▶ Electrical and optical sensors
- ▶ Chiroptical devices

INVENTOR INFORMATION

- ▶ Please read the [recent press coverage](#) about this invention.
- ▶ Please visit [Prof. Yadong Yin's research group website](#) to learn more about their research.
- ▶ Please review [all inventions by Prof. Yadong Yin](#) and his team at UCR.

RELATED MATERIALS

- ▶ [A magnetic assembly approach to chiral superstructures](#)

200 University Office Building,
Riverside,CA 92521
otc@ucr.edu
research.ucr.edu/