OTC Website

Find Technologies

Permalink

Request Information

The Poor Man's Trough: A Bench Top Motor Free Method To 3D Langmuir-Blodgett Films

Tech ID: 33814 / UC Case 2023-980-0

PATENT STATUS

Country	Туре	Number	Dated	Case
United States Of America	Published Application	20240299975	09/12/2024	2023-980


FULL DESCRIPTION

Background

Langmuir-Blodgett (LB) films are monolayer films that are deposited onto substrates. LB troughs provide an excellent way to deposit monolayer films onto substrates. LB trough designs have yet to fully eliminate the capillary waves and striations on deposited films caused by the vibration of motorized stages. Commercially available systems for LB films can provide smooth, precisely-controlled, and vibration-free film deposition. However, these systems are expensive.

Technology

Research team led by Prof. Luat Vuong at UC Riverside have developed an inexpensive and accessible, LB trough design that utilizes a 3Dprinted drainage basin to compress monolayer films. The team has devised a system where the geometry of a 3D-printed drainage basin mechanically compresses the film as the liquid drains, eliminating the need for motorized barriers. The team also developed a mathematical formula that dictates the shape of the drainage basin.



CONTACT

Venkata S. Krishnamurty venkata.krishnamurty@ucr.edu tel: .

OTHER INFORMATION


KEYWORDS

langmuir-blodgett films, monolayer films, monolayer coatings, langmuirblodgett troughs, metamaterials, interfacial self assembly, smart sensors, functional surfaces, antireflective glasses

CATEGORIZED AS

- **Engineering**
- Engineering
- Materials & Chemicals
 - Thin Films
- Nanotechnology
 - Tools and Devices
- Research Tools
 - Other
- Sensors & Instrumentation
 - Biosensors
 - Scientific/Research
- **RELATED CASES**
- 2023-980-0

Sample polystyrene coatings on (A) a jar (4.2 cm diameter, 2 cm height) illuminated from LED light from above and inside of the jar; and (B) a bulb (3 cm diameter, 2.2 cm height).



Microscope image of the 2 µm diameter polystyrene film that coats an outer edge of the compressor tube (red box, left). A high degree of order and monolayer packing of the film is shown on the right - scale bar 10 µm.

ADVANTAGES

- ▶ Cost effective and a more accessible approach that eliminates the need for expensive equipment.
- Demonstrated ability to produce close-packed films.
- ▶ Versatile in coating a variety of 3D objects.
- Ability to coat uniform, monolayer films.
- ▶ Ability to 3D print the drainage basin allows for customization and experimentation.

SUGGESTED USES

For the fabrication of LB films used in a variety of applications including:

- Functional coatings
- Biological membranes
- Biosensors
- Anti-reflective glasses

INVENTOR INFORMATION

- Please see all inventions by Prof. Vuong and her team at UCR
- Please see recent press coverage of Prof. Vuong at UCR.
- Please visit Prof. Vuong's website to learn more about her team's research

RELATED MATERIALS

> The poor man's trough: a bench top, motor-free method to 3D Langmuir-Blodgett films

University of California, Riverside Office of Technology Commercialization 200 University Office Building, Riverside,CA 92521 otc@ucr.edu https://research.ucr.edu/

Terms of use | Privacy Notice | © 2024, The Regents of the University of California