



# Magnesium Enhanced Reactivity of High Energy Composites

Tech ID: 33257 / UC Case 2023-971-0

## FULL DESCRIPTION


### Background

Boron (B) is regarded as a premier candidate fuel in high-energy composites due to its higher reaction enthalpies. However, boron suffers from sluggish oxidation and energy release kinetics as a result of its low melting oxide shell. Post-melting, the non-volatile liquid oxide layer acts as a diffusion barrier to the oxidizing species and restricts their access to the boron core, thereby inhibiting oxidation and energy release.


### Technology

Prof. Zachariah and his team have developed an innovative magnesium/boron (Mg/B) based composite that offers a thermodynamically and kinetically viable source of highly reactive gas-phase Mg that acts as an etchant for the oxide shell of boron. The developed composite creates a pristine and accessible fuel surface for the reaction. Further reactions are facilitated by the thinning of the oxide shell. Together, these serve to enhance the combustion of boron.

#### a. Mg/B<sub>2</sub>O<sub>3</sub> reaction mechanism:



#### b. Mg vapor-assisted surface disruption of oxide shell of B NPs:



Schematic illustration of the reactivity enhancement of Boron

## CONTACT

Venkata S. Krishnamurty  
[venkata.krishnamurty@ucr.edu](mailto:venkata.krishnamurty@ucr.edu)  
 tel: .

## OTHER INFORMATION

### KEYWORDS


energetic composites, thermites, propellants, pyrotechnics, solid fuels

### CATEGORIZED AS

- ▶ [Energy](#)
- ▶ [Other](#)
- ▶ [Materials & Chemicals](#)
- ▶ [Composites](#)
- ▶ [Nanomaterials](#)

### RELATED CASES

2023-971-0



Graph showing the burn characteristics of B/CuO nanoenergetic composites. Mg/B/CuO composites show significant enhancement in burn times and pressurization over B/CuO composites.

### ADVANTAGES

The significant benefits and aspects of this Mg/B-based composites relative to B-based composites are:

- ▶ A 6-fold enhancement in pressurization rates.
- ▶ A 30% increase in peak pressures.
- ▶ Shortened burn time - from 6.5 milliseconds (ms) to ~2 ms - a 60% reduction.
- ▶ Synergistic effect of the Mg and B fuels responsible for the augmentation of reactivity.
- ▶ Potential for similar augmentation for high-energy composites based on nanoscale metals and metalloids such as Aluminum, Titanium, Silicon, etc.

### SUGGESTED USES

Applications that use energetic materials such as propellants, solid fuels, thermites, etc.

### USER DEFINED 1

- ▶ Please review [all inventions by Prof. Zachariah and his team](#) at UCR.
- ▶ Please read [recent press coverage](#) of Prof. Zachariah, at UCR.
- ▶ Please visit [Prof. Zachariah's research group website](#) to learn more about their research.

### RELATED MATERIALS

- ▶ [Magnesium-Enhanced Reactivity of Boron Particles; Role of Mg/B<sub>2</sub>O<sub>3</sub> Exothermic Surface Reactions](#)

### PATENT STATUS

Country	Type	Number	Dated	Case
United States Of America	Published Application	20240190789	06/24/2024	2023-971

### RELATED TECHNOLOGIES

- ▶ [One-Step Synthesis of Aligned Nanoparticles With High Purity](#)
- ▶ [Unzipping Polymers For Enhanced Energy Release](#)

200 University Office Building,

Riverside, CA 92521

[otc@ucr.edu](mailto:otc@ucr.edu)

<https://research.ucr.edu/>

[Terms of use](#) | [Privacy Notice](#) | © 2023 - 2024, The Regents of the University of California